



3500 LaTouche Street, Suite 240A | Anchorage, AK 99508 | Phone (907) 276-4611 | FAX (907) 258-5167

### New Patient OUD Questionnaire

Name \_\_\_\_\_ Date \_\_\_\_\_

What brings you to treatment today? \_\_\_\_\_  
\_\_\_\_\_

Which pharmacy will you be using? \_\_\_\_\_

**Do you have a Primary Care Provider?**  Yes  No

Name of your provider or clinic: \_\_\_\_\_

**Relationship Status:**  Single  Separated  Divorced  Married  Significant Other  Widowed

**Do you have children?**  Yes  No **If yes, do they live with you?**  Yes  No

Their ages are: \_\_\_\_\_

### Personal & Family Health History *(Please check-mark each item you or a family member has been diagnosed with.)*

	<u>Self</u>	<u>Family</u>		<u>Self</u>	<u>Family</u>
Cancer	<input type="checkbox"/>	<input type="checkbox"/>	Sleep Apnea	<input type="checkbox"/>	<input type="checkbox"/>
Heart Disease	<input type="checkbox"/>	<input type="checkbox"/>	Asthma	<input type="checkbox"/>	<input type="checkbox"/>
High Blood Pressure	<input type="checkbox"/>	<input type="checkbox"/>	COPD/Emphysema	<input type="checkbox"/>	<input type="checkbox"/>
Heart Attack	<input type="checkbox"/>	<input type="checkbox"/>	Osteoporosis	<input type="checkbox"/>	<input type="checkbox"/>
Stroke	<input type="checkbox"/>	<input type="checkbox"/>	Hepatitis B or C	<input type="checkbox"/>	<input type="checkbox"/>
Seizures	<input type="checkbox"/>	<input type="checkbox"/>	Liver Disease	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes	<input type="checkbox"/>	<input type="checkbox"/>	Headaches/Migraine	<input type="checkbox"/>	<input type="checkbox"/>
Thyroid Problems	<input type="checkbox"/>	<input type="checkbox"/>	Anemia	<input type="checkbox"/>	<input type="checkbox"/>
Kidney Disease	<input type="checkbox"/>	<input type="checkbox"/>	Bowel Disorders	<input type="checkbox"/>	<input type="checkbox"/>

**Please list all hospitalizations and surgeries you have ever had:**

Surgery	Year	Hospital

**Allergies:**

What are you allergic to?	What was your reaction?	Do you require treatment?

**Current Medications and Supplements:** Please list ALL prescriptions and over-the-counter (OTC) medications or supplements you are CURRENTLY taking.

Name of Medication/Supplement/Ointment	Strength	How often each day?

**GOALS in RECOVERY:** Please list 3 very specific and measurable goals for things you would like to do, and would return to doing, if your addiction were more manageable.

Specific activity/goal:	How many/often?	By what date?

## REVIEW OF SYSTEMS

(Check the boxes of each symptom you have experienced in the past 30 days.)

### Constitutional:

- Fatigue
- Restlessness
- Fever
- Chills
- Hot flashes
- Cold flushes
- Increased appetite
- Decreased appetite
- Weight gain
- Weight loss
- Night sweats

### Skin:

- Rash
- Hives
- Sweating
- Excessive itching
- Moles changing size, shape or color
- Sores
- Goosebumps
- Blisters
- Painful lesions

### HEENT:

- Nasal congestion
- Runny nose
- Sore throat
- Loss of teeth
- Dentures
- Cavities/gum disease
- Dry mouth
- Loss of taste
- Loss of smell
- Yawning
- Watery eyes
- Visual changes
- Ringing in ears
- Hearing loss

### Cardiovascular:

- Chest pain
- Heart racing
- Lightheaded
- Palpitations
- High blood pressure
- Swollen ankles or legs

### Respiratory:

- Shortness of breath
- Cough
- COPD/emphysema
- Wheezing
- Sleep Apnea

### Musculoskeletal:

- Twitching
- Weakness
- Shaking
- General body aches
- Joint swelling
- Morning stiffness
- Bone aches
- Cramps
- Muscle aches
- Joint pain
- Joint redness

### Genitourinary:

- Difficulty urinating
- Blood in urine
- Pain w/urination
- Leaky bladder
- Loss of bladder control

If female: Are you pregnant?  Yes  No

Date of last cycle: \_\_\_\_\_

Please notify us immediately if you become pregnant.

### Gastrointestinal:

- Nausea
- Diarrhea
- Heartburn
- Stomach cramps
- Loss of bowel control
- Abdominal pain, cramping or distension
- Vomiting
- Constipation
- Red blood in stool
- Black, tarry stool
- Yellow eyes or skin

### Bowel Movements are:

- Daily
- Every other day
- 2x/week
- Every 5-6 days
- Once weekly

Is this your normal frequency?  Yes  No

Is this  LESS or  MORE frequent than normal?

### Neurological:

- Tremors
- Tingling
- Fainting
- Frequent falls
- Numbness
- Headache
- Seizures
- Involuntary movements

### Endocrine:

- Diabetes
- Excessive thirst
- Heat/Cold Intolerance
- Thyroid Issues
- Low libido

### Hematologic/Lymphatic:

- Abnormal bleeding
- Swollen lymph nodes
- Anemia
- Bleeding disorder
- Bruising easily
- Lymphedema
- Clotting disorder

### Immunologic/Allergic:

- Asthma
- Current cold
- Seasonal allergies
- Current flu

### Psychiatric

- Suicidal thoughts
- Anxiety
- Depression
- Craving drugs
- Anger issues
- Irritability
- Changes in mood
- Homicidal thoughts
- Hallucinations
- Difficulty sleeping
- Panic attacks
- Hearing voices

**Do you have any thoughts of suicide or of wanting to hurt yourself or others?**  Yes  No

If yes, do you have a plan?  Yes  No If yes, please describe \_\_\_\_\_

**Have you ever attempted suicide in the past?**  Yes  No If yes, when and what method did you use? \_\_\_\_\_

**Subjective Opiate Withdrawal Scale (SOWS)**

Please write in a number from 0 - 4 corresponding to how you feel about each symptom RIGHT NOW  
(Scale: 0 = not at all, 1 = a little, 2 = moderately, 3 = quite a bit, 4 = extremely)

	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6
I feel like using now.						
I feel anxious.						
I feel like yawning.						
I am perspiring.						
My eyes are teary.						
My nose is running.						
I have goosebumps.						
I am shaking.						
I have hot flushes.						
I have cold flashes.						
My bones and muscles ache.						
I feel restless.						
I feel nauseous.						
I feel like vomiting.						
My muscles twitch.						
I have stomach cramps.						
<b>TOTAL</b>						

It is recommended that you be in moderate withdrawal, and that it has been at least 12-24 hours since your last use of a short-acting opioid before starting Suboxone. You may need to wait 24-72 hours or even longer for long-acting opioids such as OxyContin. With methadone, try to get your daily dose down to 30 mg/day or less for at least two weeks, and it may be necessary to wait another 7-28 days before beginning Suboxone (or any buprenorphine) in order to avoid experiencing precipitated withdrawal.

**Medical Concerns:**

Any medical issues that you would like me to evaluate today?  Yes  No

Would you like urine testing for chlamydia or gonorrhea today?  Yes  No

Any other labs or testing you would like to request today?  Yes  No

**Sexual Health:**

Are you sexually active?  Yes  No

Are your sexual partners  men  women or  both?

Have you recently tested positive for any STI's?  Yes  No

If yes, did you and your partner(s) receive appropriate treatment?  Yes  No

**Quality of Sleep:**  Good  Fair  Poor Number of hours nightly? \_\_\_\_\_

Do you suffer from insomnia?  Yes  No

Are you diagnosed with sleep apnea?  Yes  No If yes, do you use CPAP/BiPAP?  Yes  No

**Nicotine Use:**

Do you use nicotine?  Yes  No If yes, what form? \_\_\_\_\_

Average daily amount: \_\_\_\_\_ Would you like help quitting now?  Yes  No

Would you be interested in quitting at some time in the future?  Yes  No

**MENTAL HEALTH CARE AND TREATMENT HISTORY**

**Mental Health Diagnoses History:**

Please **check-mark** any of the following issues **you have now or have had in the past.**

- Suicidal thoughts
- Homicidal thoughts
- PTSD
- ADD/ADHD
- Anger
- Hearing voices
- Anxiety
- Eating Disorders
- Irritability
- Hallucinations
- Depression
- OCD
- Changes in mood
- Schizophrenia
- Panic attacks
- Difficulty sleeping
- Bi-polar disorder
- Personality Disorders

**Counseling for Mental Health/Psychiatric Issues:**

Please check-mark any type of counseling you are currently engaged in or have tried in the past.

Please include name(s) of clinic/clinician and year(s) of participation.

1:1 Psychiatric Counseling If yes, with whom? \_\_\_\_\_ Year(s)? \_\_\_\_\_

Group Counseling If yes, with whom? \_\_\_\_\_ Year(s)? \_\_\_\_\_

In-patient Psychiatric Care If yes, with whom? \_\_\_\_\_ Year(s)? \_\_\_\_\_

Spiritual Leader If yes, with whom? \_\_\_\_\_ Year(s)? \_\_\_\_\_

## **SOCIAL SUPPORT, EMPLOYMENT and EDUCATION**

### **Family:**

Do you have any family members **who misuse** medications, illicit drugs or alcohol?  Yes  No

**If yes**, do they live nearby?  Yes  No

Do you have any family members who are **NOT** suffering from addiction?  Yes  No

**If yes**, do they live nearby?  Yes  No Are they supportive of your recovery efforts?  Yes  No

### **Peers:**

What kinds of "clean" peer support for recovery do you have?  friends  Co-workers

Do you have friends and/or co-workers who are suffering from addiction?  Yes  No

Are there people in your home who misuse medication, illicit substances or alcohol?  Yes  No

What is your plan for staying in recovery while others around you are actively using?

---

Are you prepared to seek relationships with new, non-using friends?  Yes  No

### **Employment:**

I am employed at \_\_\_\_\_ as a \_\_\_\_\_ for \_\_\_\_\_ hours/week.

I am unemployed.  Yes  No Are you seeking work?  Yes  No Are you retired?  Yes  No

### **Disability:**

Are you receiving disability benefits?  Yes  No When did it start? \_\_\_\_\_

What is your disability based on? \_\_\_\_\_

If you are NOT currently receiving disability, have you applied for disability?  Yes  No

### **Education:**

Do have have any of the following:  GED/H.S. Diploma  Trade School  Vocational Training  
 Some College  College Graduate  Apprenticeship Training

Are you currently attending school, or a trade or vocational program?  Yes  No

If yes, which program? \_\_\_\_\_

Are you interested in additional job training and/or academic education?  Yes  No

### **Housing and Financial Status:**

Do you:  Live alone  Live w/spouse or SO  Live w/children  Roommate

Live w/other family  Shared Housing  Couch surfing  Homeless  Staying in a Shelter

Do you:  Rent  Own your home

Do you feel safe in your home environment?  Yes  No

Do you feel financially stable?  Yes  No What is your main source of income? \_\_\_\_\_

Do you need or want help accessing local services for housing, food or other assistance?  Yes  No

Are you familiar with the local 2-1-1 phone number for help accessing services?  Yes  No

**Legal Issues:**

Do you have any legal issues pending?  Yes  No

Please state the nature of the charges \_\_\_\_\_

**If yes**, are you on probation or under supervision?  Yes  No

Are you facing incarceration in the future?  Yes  No      Wearing an ankle monitor?  Yes  No

Have you ever been arrested for selling or distributing drugs?  Yes  No

**SUBSTANCE USE HISTORY AND TREATMENT**

What substances do you feel you are dependent on/addicted to? \_\_\_\_\_

How severe do you feel your addiction is?  Mild       Moderate       Severe

At what age do you feel you may have developed a drug or alcohol problem? \_\_\_\_\_

Have you ever obtained pain or other prescription medication other than from a provider?  Yes  No

Have you ever experienced a drug overdose?  Yes  No    If yes, when? \_\_\_\_\_

What substance(s) did you overdose on? \_\_\_\_\_

Has Narcan ever been administered to you?  Yes  No

Do you have your own supply of Narcan?  Yes  No    **If not, please ASK!**

Do family and friends also have their own supply of Narcan?  Yes  No    **If not, please ASK!**

**Please list ALL the substances you have used in the last 90 days:** \_\_\_\_\_

\_\_\_\_\_

**Please complete the following pages for each type of substance you've used in the past:**

**Opioids** (including codeine, heroin, morphine, methadone, fentanyl, oxycodone, hydrocodone, oxymorphone, meperidine, propoxyphene or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

2.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

3.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Benzodiazepines** (including alprazolam - Xanax, diazepam - Valium, clonazepam - Klonopin, oxazepam - Serax, chlordiazepoxide - Librium or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Barbiturates** (Seconal, phenobarbital, Dalmane, Restoril or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Stimulants** (Methamphetamine, cocaine, amphetamines, methylphenidate or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

2.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Marijuana/Spice** (Marijuana, spice, bath salts, synthetic marijuana or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Inhalants** (glue, markers, anesthetics, propane, paint thinner, gasoline, lighter fluid or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Hallucinogens** (MDMA - ecstasy, GHB, rohypnol, ketamine, LSD - acid or other)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Misc.** (Kratom, gabapentin, Lyrica)

1.	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?

**Alcohol**

Type?	Past or present?	Route?
Age of first use?	Last use?	Average daily amount?



**Substance Use Treatment:**

*Please check-mark any type of addiction treatment you are currently engaged in or have tried in the past. Please include name(s) of clinic/clinician and year(s) of participation.*

- Outpatient Treatment If yes, where? \_\_\_\_\_ Year(s)? \_\_\_\_\_
- Intensive Outpatient If yes, where? \_\_\_\_\_ Year(s)? \_\_\_\_\_
- In-patient Treatment If yes, where? \_\_\_\_\_ Year(s)? \_\_\_\_\_
- Methadone Maintenance Program (OTP) If yes, where? \_\_\_\_\_ Year(s)? \_\_\_\_\_
- Suboxone, Vivitrol or Sublocade (MAT) If yes, where? \_\_\_\_\_ Year(s)? \_\_\_\_\_
- Other kind of treatment? If yes, where? \_\_\_\_\_ Year(s)? \_\_\_\_\_

**What kinds of support groups do you participate in within the community?**

- 12-step Groups (AA/NA, etc)    Celebrate Recovery    Alano Club    Other: \_\_\_\_\_
- Church-sponsored Recovery Group

**What would you say your biggest loss or regret in life is due to addiction?**

---

### Stop Bang Questionnaire

1. Do you snore loudly? (Louder than talking or loud enough to be heard through closed doors)  Yes  No
2. Do you often feel tired, fatigued, or sleepy during the daytime?  Yes  No
3. Has anyone observed you stop breathing during sleep?  Yes  No
4. Do you have (or are you being treated for) high blood pressure?  Yes  No
5. Age: \_\_\_\_\_
6. Gender:  Male  Female      Neck Circumference: (MA will measure) \_\_\_\_\_

### Generalized Anxiety Disorder (GAD-7) Questionnaire

Over the last 2 weeks, how often have you been bothered by the following problems?	Not at all sure	Several days	Over half the days	Nearly every day
1. Feeling nervous, anxious, or on edge.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Not being able to stop or control worrying.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Worrying too much about different things.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Trouble relaxing.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Being so restless that it's hard to sit still.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Becoming easily annoyed or irritable.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Feeling afraid as if something awful might happen.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	XXXXXX			
<b>Total Score</b>	XXXXXX	XXXXXX	XXXXXX	

If you checked off any problems, how difficult have these made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all \_\_\_\_\_ Somewhat difficult \_\_\_\_\_ Very difficult \_\_\_\_\_ Extremely difficult \_\_\_\_\_

### Patient Health Questionnaire (PHQ-9)

Over the last 2 weeks, how often have you been bothered by any of the following problems? (circle your response)	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Feeling down, depressed, or hopeless.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Trouble falling or staying asleep, or sleeping too much.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Feeling tired or having little energy.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Poor appetite or overeating.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Feeling bad about yourself, or that you are a failure or have let yourself or your family down.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Trouble concentrating on things, such as reading the newspaper or watching television.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Moving or speaking so slowly that other people could have noticed. Or the opposite, being so fidgety or restless that you have been moving around a lot more than usual.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Thoughts that you would be better off dead, or of hurting yourself.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	XXXXX			
<b>Total</b>	XXXXX	XXXXX	XXXXX	

If you checked off any problems, how difficult have these made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all \_\_\_\_    Somewhat difficult \_\_\_\_    Very difficult \_\_\_\_    Extremely difficult \_\_\_\_

## DSM-5 Criteria for Diagnosis of Opioid Use Disorder

Check all that apply

<input type="checkbox"/>	Opioids are often taken in larger amounts or over a longer period of time than intended.
<input type="checkbox"/>	There is a persistent desire or unsuccessful efforts to cut down or control opioid use.
<input type="checkbox"/>	A great deal of time is spent in activities necessary to obtain the opioid, use the opioid, or recover from its effects.
<input type="checkbox"/>	Craving, or a strong desire to use opioids.
<input type="checkbox"/>	Recurrent opioid use resulting in failure to fulfill major role obligations at work, school or home.
<input type="checkbox"/>	Continued opioid use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of opioids.
<input type="checkbox"/>	Important social, occupational or recreational activities are given up or reduced because of opioid use.
<input type="checkbox"/>	Recurrent opioid use in situations in which it is physically hazardous.
<input type="checkbox"/>	Continued use despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by opioids.
<input type="checkbox"/>	*Tolerance, as defined by either of the following: a) A need for markedly increased amounts of opioids to achieve intoxication or desired effect. b) Markedly diminished effect with continued use of the same amount of an opioid.
<input type="checkbox"/>	*Withdrawal, as manifested by either of the following: a) The characteristic opioid withdrawal syndrome. b) The same (or a closely related) substance are taken to relieve or avoid withdrawal symptoms.